

POLAR MEASURING TOOLS

9302 CALIPER WITH FINE ADJUSTMENT

ISO 3599, DIN 862.

- With locking screw. Divided into mm and inches
- Resolution: 0,02 mm / 0.001"
- Supplied in plastic casing.
- Surface: Matt chrome beam and vernier.
- Material: Stainless steel.



ITEM NO.	5704196+	RANGE MM/INCH	JAW LENGTH MM	G	
9302-0200	032139	0-200 mm / 0-8"	45	242	1
9302-0300	032146	0-300 mm / 0-12"	55	393	1

9303 DEPTH GAUGES

DIN 862.

- Length of base: 100 mm. Resolution: 0,02 mm. With locking screw.
- Surface: Matt chrome beam.
- Material: Stainless Steel.



ITEM NO.	5704196+	RANGE MM	G	
9303-0200	031897	0-200 mm	183	1
9303-0300	031903	0-300 mm	219	1

9310 PROTRACTOR

- Range: 0-180°.
- Chrome Plated Double scale.
- With locking screw.



ITEM NO.	5704196+	Ø-DIAMETER MM	RULER LENGTH MM	G	
9310-0120	031996	120	150	111	1
9310-0150	032009	150	200	222	1
9310-0200	032016	200	300	318	1

9305 A OUTSIDE MICROMETER

DIN 863.

- Resolution: 0,01 mm
- 6,5 mm spindle with carbide tipped measuring faces.
- Lacquered frame.
- Accessory: Standard bar from 25 mm



ITEM NO.	5704196+	RANGE MM	ACCURACY MM	G	
9305-0025	032054	0 - 25	±0,004	202	1
9305-0050	032061	25 - 50	±0,004	284	1
9305-0075	032078	50 - 75	±0,005	377	1
9305-0100	032085	75 - 100	±0,005	536	1

9305 B DIGITAL OUTSIDE MICROMETER

DIN 863.

- Switch ABS/mm/inches. Zero setting. On/Off button.
- Resolution: 0,001 mm / 0,00005".
- 6,5 mm spindle with carbide tipped measuring faces.
- Lacquered frame.
- Accessory: Standard bar from 25 mm.
- Operating temperature: 0°C ~ 40°C. Storage temperature: -20°C ~ 60°C.
- Humidity: Up to 80% non-condensing.
- Supplied with two 3V CR2032 batteries.



ITEM NO.	5704196+	RANGE MM	ACCURACY MM	G	
9305-1025	032467	0 - 25	±0,003	203	1
9305-1050	032474	25 - 50	±0,003	289	1
9305-1075	032481	50 - 75	±0,004	417	1